

### Serie | 2, Gas cooktop, 60 cm, Stainless steel PBH6B5B90A



#### Included accessories

1 x WOK attachment ring

# The gas cooktop with side-mounted controls: the desired cooking zones can be conveniently operated from the side.

- Sword knobs: for an ergonomic control.
- Surface colour: elegant stainless-steel design.
- Low profile stainless steel cooking surface is easily accessible and quick to clean.

#### **Technical Data**

Product name/family: gas hob w integrated controls

Construction type: Built-in

Energy input : Gas

Total number of positions that can be used at the same time: 4

Type of control setting devices : Sword knobs

Required niche size for installation (HxWxD) : 45 x 560-562 x

480-492 mm

Width of the appliance : 580 mm

Dimensions (HxWxD): 56 x 580 x 510 mm

Dimensions of the packed product (HxWxD): 141 x 651 x 578

mn

Net weight : 9.7 kg Gross weight : 10.6 kg

Residual heat indicator : without Location of control panel : Hob lateral Basic surface material : Stainless steel Color of surface : Stainless steel

Approval certificates: Australia Standards, Australia Standards

Length electrical supply cord: 100 cm

EAN code : 4242005080793 Electrical connection rating : 1 W Gas connection rating : 8400 W

Fuse protection : 3 A Voltage : 220-240 V Frequency : 60; 50 Hz





## Serie | 2, Gas cooktop, 60 cm, Stainless steel PBH6B5B90A

The gas cooktop with side-mounted controls: the desired cooking zones can be conveniently operated from the side.

#### Design

- 4 burner brushed stainless steel gas cooktop
- 2 standard, 1 economy, 1 wok burner
- Enamelled cast-iron trivets with rubber feet

#### Size & Power

- Front left: Wok burner 15 Mj/h
- Rear left: Standard burner up to 6.5 Mj/h (depending on gas type)
- Rear right: Standard burner up to 6.5 Mj/h (depending on gas type)
- Front right: Economy burner up to 3.8 Mj/h (depending on gas type)

#### **Comfort & Convenience**

- Easy to use side control knobs
- One-hand electronic ignition via controls

#### **Safety and Environment**

- Flame failure device fitted to each individual burner

#### **Dimensions (WxD)**

- Appliance dimensions: (W  $\times$  D) 580 mm  $\times$  510 mm
- Installation dimensions: (H x W x D) 45 mm x 560 mm x 480 mm
- Connecting cable 1 m with plug
- Preset to natural gas (10mbar)

### **Supplied Accessories**

- Liquid gas nozzles (28-30/37mbar) included



# Serie | 2, Gas cooktop, 60 cm, Stainless steel PBH6B5B90A

